


# BASIC LEVEL GAUGE L 138

## MAIN CHARACTERISTICS

## AVAILABLE MODELS

## LIMITS OF USE

Max allowed fluid pressure : PS	
Max allowed fluid temperature : TS	



ISO  
9001

## REGULATIONS AND STANDARD OF CONSTRUCTIONS

ITEM	Standard


# BASIC LEVEL GAUGE L 138

## DIMENSIONS (mm) AND CONNECTIONS

Connections	∅ Tube	L	L1	Weight (Kg).


## CONSTRUCTION


N°	Item	Qty	Material
1			
2			
3			
4			
5			
6			




## CALCULATION OF THE LENGTH OF THE TUBE

## OPTIONS

Protection tube in brass U 2319		
∅ Tube (mm)	Code	
13		
16		

	T154 : Plastic tube PMMA	2314 : Glass pirex tube	
∅ Tube (mm)	Code	Code	
13			
16			

Intermediate connection 151			
∅ Tube (mm)	Fixation	Code	
13	G 1/2" M		
16	G 1/2" M		

# BASIC LEVEL GAUGE L 138

---

## MOUNTING

## USE

## MAINTENANCE

## SPARE PARTS

Silicone gasket for level gauge L 138	
∅ Tube (mm)	Code